



Modern design combined with stylish surfaces



Metal plate embedded in the housing with HECO logo



Wide base due to stable aluminium base traverses



Connection via gold-plated and encapsulated screw terminals



CELAN REVOLUTION 9



CELAN REVOLUTION 7





CELAN REVOLUTION 3



CELAN REVOLUTION CENTER 4



All color variants are supplied with black cover grille

CELAN REVOLUTION



CELAN REVOLUTION 9



CELAN REVOLUTION 7



Piano Black

CELAN REVOLUTION SUB 32A



CELAN REVOLUTION 3



CELAN REVOLUTION CENTER 4



All color variants are supplied with black cover grille



CELAN REVOLUTION 9



CELAN REVOLUTION 7





CELAN REVOLUTION 3



CELAN REVOLUTION CENTER 4



All color variants are supplied with black cover grille

CELAN REVOLUTION



Drivers

- High Energy tweeter (2nd generation) with 30 mm Polyfiber Compound Dome (PFC Dome), powerful double ferrite magnet system and new aluminium front plate with Fluktus geometry
- Midrange with HECO kraft paper cone, new developed POC-dustcap (Phase Optimisation Cap), coated fabric surround and 25 mm voice coil optimized for neutral reproduction (Celan Revolution 9 and 7)
- Woofer with HECO kraft paper cone, large dustcap, long-throw surround and 32 mm high-performance voice coil optimized for the low frequencies (Celan Revolution 9 and 7)
- Woofer-midrange with HECO kraft paper cone, new developed POC-dustcap (Phase Optimisation Cap), long-throw surround and high-capacity voice coil for optimal wide bandwidth playback (Celan Revolution 3)
- Woofer, midrange and woofer-midrange with solid, eightfold screwed aluminium die-cast baskets and linearised magnet systems

Cabinet

- Stylish surfaces: glossy finish, semi-matt lacquer finish or selected real-wood veneer
- Solid construction using MDF panels and elaborated struttings, rounded side panels and elegantly angled top side
- Removable cloth protection cover with hidden magnetic mounts
- Bass reflex construction with two airflow-optimised and screwed reflex tubes and aluminium flanges
- Solid aluminium cross beams with height-adjustable massive metal cone spikes (Celan Revolution 9 and 7)
- Exchangeable metal/rubber spike tips for an optimum adaptation to the floor type (Celan Revolution 9 and 7)
- Rubber spikes included (Celan Revolution 3)

Crossover

- Elaborated crossover with high-quality exacting tolerance components
- Tweeter level adjustment ,linear' / ,+2dB'
- High-quality connecting terminal with solid, gold-plated and capsulated screw connectors
- Bi-wiring/Bi-amping option





CELAN REVOLUTION





HIGHLIGHTS SUB 32A

Equipment

- Level and crossover-frequency adjustable
- Phase adjustable 0° 180°
- Stereo low level inputs
- Separate LFE input for easy integration into a home-cinema system
- Automatic standby circuit
- Mains switch
- Selectable mains voltage (115/230 V)

Driver

- 30 cm high-power long-throw woofer with hardened paper cone, high-performance voice-coil and powerful ferrite magnet system
- Solid low-resonance aluminium die-cast woofer basket
- Woofer frontfire configuration

Cabinet

- Solid construction using MDF panels and struttings, rounded side panels
- Stylish surfaces: glossy finish, semi-matt lacquer finish or selected real-wood veneer
- Removable cloth protection cover with hidden magnetic mounts
- Bass reflex construction with three airflow-optimised and screwed reflex tubes and aluminium flanges
- Large feet made of solid aluminium with resonance-absorbing rubber inserts

Amplifier

- High performance class D amplifier
- Real-time Limiter
- Active SPL equalization
- Low standby power consumption (<0.5 watt)

CELAN REVOLUTION

Celan Revolution 9

Principle 3-way bass reflex, Floorstanding Speaker

Equipment 2 x 8" woofer 1 x 6.5" midrange 1" dome-tweeter

Power Handling (RMS/Max) 280 / 450 watts

Impedance $4 - 8 \Omega$ Frequency Response19 - 52000 HzCrossover Frequencies230 Hz, 2800 HzRecommended Amplifier Output30 - 450 watts

Recommended Amplifier Output 30 - 48 **Sensitivity** 93 dB

Cabinet surfacePiano Black, White Satin,Espresso Veneer

Dimensions (WxHxD) 374 x 1272 x 440 mm incl. feet and terminal

Weight 38.4 kg

 Celan Revolution 9 Piano Black
 Art. No.: 132 9030 • EAN: 40 29678 29030 4

 Celan Revolution 9 White Satin
 Art. No.: 132 9032 • EAN: 40 29678 29032 8

 Celan Revolution 9 Espresso Veneer
 Art. No.: 132 9034 • EAN: 40 29678 29034 2



Celan Revolution 7

Principle 3-way bass reflex, Floorstanding Speaker

Equipment 2 x 6.5" woofer 1 x 6.5" midrange

Power Handling (RMS/Max) 1" dome-tweeter 220 / 350 watts

Impedance $4-8 \Omega$

Frequency Response 21 - 52000 Hz

Crossover Frequencies 250 Hz, 2800 Hz
Recommended Amplifier Output 30 - 350 watts

Sensitivity 92 dB **Cabinet surface** Piano Black, White Satin,

Espresso Veneer

Dimensions (WxHxD) 320 x 1182 x 390 mm incl. feet and terminal

Weight 29.5 kg

 Celan Revolution 7 Piano Black
 Art. No.: 132 9020 • EAN: 40 29678 29020 5

 Celan Revolution 7 White Satin
 Art. No.: 132 9022 • EAN: 40 29678 29022 9

 Celan Revolution 7 Espresso Veneer
 Art. No.: 132 9024 • EAN: 40 29678 29024 3



CELAN REVOLUTION

Celan Revolution 3

Principle Equipment

Power Handling (RMS/Max)

Impedance

Frequency Response Crossover Frequencies

Recommended Amplifier Output

Sensitivity

Cabinet surface

Dimensions (WxHxD)

Weight

Celan Revolution 3 Piano Black Celan Revolution 3 White Satin Celan Revolution 3 Espresso Veneer 2-way bass reflex, Bookshelf Speaker

1 x 6.5" woofer-midrange

1" dome-tweeter 100 / 160 watts

4 - 8 Ω

30 - 52000 Hz 2800 Hz 30 - 160 watts

90 dB

Piano Black, White Satin,

Espresso Veneer

240 x 420 x 360 mm incl. feet and terminal

10.4 kg

Art. No.: 132 9010 • EAN: 40 29678 29010 6 Art. No.: 132 9012 • EAN: 40 29678 29012 0 Art. No.: 132 9014 • EAN: 40 29678 29014 4



Celan Revolution Center 4

Principle Equipment

Power Handling (RMS/Max)

Impedance

Frequency Response Crossover Frequencies

Recommended Amplifier Output

Sensitivity

Cabinet surface

Dimensions (WxHxD)

Weight

Celan Revolution Center 4 Piano Black Celan Revolution Center 4 White Satin Celan Revolution Center 4 Espresso Veneer 2-way bass reflex, Center Speaker

2 x 6.5" woofer-midrange

1" dome-tweeter 120 / 180 watts

 $4 - 8 \Omega$

30 - 52000 Hz 2800 Hz 30 - 180 watts

90 dB

Piano Black, White Satin,

Espresso Veneer

598 x 212 x 360 mm incl. feet and terminal

15.0 kg

Art. No.: 132 9040 • EAN: 40 29678 29040 3 Art. No.: 132 9042 • EAN: 40 29678 29042 7 Art. No.: 132 9044 • EAN: 40 29678 29044 1





Celan Revolution Sub 32A

Principle
Equipment
Power Output (RMS/Max)
Frequency Response
Crossover Frequencies
Cabinet surface

Dimensions (WxHxD) Weight

Celan Revolution Sub 32A Piano Black Celan Revolution Sub 32A White Satin Celan Revolution Sub 32A Espresso Veneer Powered bass-reflex subwoofer
12" powered subwoofer
280 / 500 watts
18 - 150 Hz
50 - 150 Hz adjustable
Piano Black, White Satin,
Espresso Veneer
400 x 610 x 535 mm incl. feet and terminal
27.1 kg

Art. No.: 132 9050 • EAN: 40 29678 29050 2 Art. No.: 132 9052 • EAN: 40 29678 29052 6 Art. No.: 132 9054 • EAN: 40 29678 29054 0

